

096443-0300

1 1. A method comprising:
2 controlling, in a first mode, a device, wherein the controlling includes receiving
3 and processing user inputs coming into the device;
4 displaying a first markup language page that includes a first script; and
5 changing control of the device from the first mode to the second mode upon
6 execution of the first script.

1 2. The method of claim 1, further comprising:
2 displaying a second markup language page that includes a second script; and
3 changing control of the device from the second mode back to the first mode upon
4 execution of the second script.

1 3. The method of claim 2, wherein the first script and the second script can be
2 modified from a remote site through a wireless connection.

1 4. The method of claim 1, wherein the first script can be modified from a remote site
2 through a wireless connection.

1 5. The method of claim 1, wherein the processing of user inputs includes displaying
2 video content in synchronization with the markup language page.

1 6. The method of claim 1, wherein the user inputs are selected from a group
2 consisting of a motion sensor, a card swipe, a button and a keyboard.

1 7. The method of claim 1, wherein the processing of user inputs includes dropping
2 the received user input based on a type of the received user input.

1 8. The method of claim 1, wherein the first mode is an active video mode and the
2 second mode is an active text mode.

1 9. A method comprising:
2 controlling, in a first mode, a receipt of user inputs for a device;
3 displaying markup language content on a display of the device; and
4 changing control of the receipt of the user inputs for the device to a second mode
5 upon execution of a script that is part of the markup language content being displayed.

1 10. The method of claim 9, wherein the script can be updated from a remote location
2 via a wireless connection.

1 11. The method of claim 9, wherein displaying the markup language content on the
2 display of the device includes integrating the markup language content with video
3 content.

1 12. The method of claim 9, further comprising controlling a Digital Versatile Disc
2 (DVD) drive of the device for displaying of video from a DVD on the display in
3 synchronization with the displaying of the markup language content.

1 13. A method for controlling user inputs for a device, the method comprising:
2 playing, by a Digital Versatile Disc (DVD) drive, video from a DVD;
3 controlling, by a DVD-based process, a receipt of the user inputs for the device;

090644345-082300

setting a register in the DVD drive to a register value upon executing a command sequence on the DVD during the playing of video from the DVD;

locating the register value in a table of register values, wherein the table includes a plurality of table entries, each table entry including a register value, an associated address and an associated time code, wherein each time code corresponds to a position within the video;

retrieving markup language content based on the associated address;

displaying the markup language content overlaid onto the video based on the time code associated with the register value; and

giving control of the receipt of user inputs for the device to a markup language-based process upon execution of a script that is part of the markup language content.

14. The method of claim 13, wherein the script can be modified from a remote site through a wireless connection.

15. A method comprising:

controlling, in a first mode, a device, wherein the controlling includes receiving and processing user inputs coming into the device;

monitoring a value of a register of a multimedia drive, the multimedia drive generating video content;

displaying a markup language page that includes a script upon determining that the value has changed; and

changing control of the device from the first mode to the second mode upon execution of the script.

16. The method of claim 15, wherein the script can be modified from a remote site through a wireless connection.

1 34. The machine-readable medium of claim 33, wherein the script can be updated
2 from a remote location via a wireless connection.

1 35. The machine-readable medium of claim 33, wherein displaying the markup
2 language content on the display of the device includes integrating the markup language
3 content with video content.

1 36. The machine-readable medium of claim 33, further comprising controlling a
2 Digital Versatile Disc (DVD) drive of the device for displaying of video from a DVD on
3 the display in synchronization with the displaying of the markup language content.

1 37. A machine-readable medium that provides instructions for controlling user inputs
2 for a device, which when executed by a machine, cause said machine to perform
3 operations comprising:

4 playing, by a Digital Versatile Disc (DVD) drive, video from a DVD;

5 controlling, by a DVD-based process, a receipt of the user inputs for the device;

6 setting a register in the DVD drive to a register value upon executing a command
7 sequence on the DVD during the playing of video from the DVD;

8 locating the register value in a table of register values, wherein the table includes
9 a plurality of table entries, each table entry including a register value, an associated
10 address and an associated time code, wherein each time code corresponds to a position
11 within the video;

12 retrieving HyperText Markup Language (HTML) content based on the associated
13 address;

14 displaying the HTML content overlaid onto the video based on the time code
15 associated with the register value; and

16 giving control of the receipt of user inputs for the device to a HTML-based
17 process upon execution of a script that is part of the HTML content.

1 38. The machine-readable medium of claim 37, wherein the script can be modified
2 from a remote site through a wireless connection.

1 39. A machine-readable medium that provides instructions, which when executed by
2 a machine, cause said machine to perform operations comprising:

3 controlling, in a first mode, a device, wherein the controlling includes receiving
4 and processing user inputs coming into the device;

5 monitoring a value of a register of a multimedia drive, the multimedia drive
6 generating video content;

7 displaying a first markup language page that includes a script upon determining
8 that the value has changed; and

9 changing control of the device from the first mode to the second mode upon
10 execution of the script.

1 40. The machine-readable medium of claim 39, wherein the script can be modified
2 from a remote site through a wireless connection.